Discussion and Informed Consent for Surgical Periodontal Treatment Patient Name: ____ Date: Diagnosis: **Facts for Consideration** Patient's initials required An examination of your oral cavity measures the pockets under the gums surrounding your teeth to determine which periodontal treatment(s) your gum condition requires. Dental x-rays will be taken to check the condition of the bone that supports your teeth. One type of surgical treatment, called a *gingivectomy*, is the surgical removal of diseased gingiva (gum tissue) to reduce or eliminate periodontal pockets that have failed to respond to more conservative treatment such as scaling and curettage. It includes deep scaling and planning of the root surfaces exposed during the surgery. Sedation or premedication may be recommended and prescribed for you prior to the surgery. Treatment may also include flap surgery which involves cutting and lifting up a small area of the gums to expose the boney defect around the tooth. The affected tissue may be cleaned out, the bone recontoured (reshaped), and/or real or synthetic bone material may be grafted into the site. A barrier membrane may also be inserted and sutured into place, and a periodontal dressing (special band aide) may be placed over the area of surgery. A gingival (gum) graft involves moving gum tissue from one site to another. Typically, this is done to cover an exposed root, or to provide a zone of attached gingiva around a tooth where the normal tissue has receded. The success of the treatment depends in part on your efforts to brush and floss daily, receive regular cleaning as directed, follow a healthy diet, avoid tobacco products and follow proper home care taught to you by this office. A topical or local anesthetic may be administered depending on the location and depth of the area to be treated. Benefits of Surgical Periodontal Treatment, Not Limited to the Following: Surgical periodontal treatment can: help to create a cleaner environment in which your gums can heal; help to reduce the chances of further gum irritation or infection; make it easier for you to keep your teeth clean; improve your chance to retain teeth and their function; and decrease the cost of replacing teeth lost due to gum

disease. This course of treatment may help to improve your condition and prevent this disease from spreading.

As a	result of surgery, I understand that my gums may bleed or swell and I may experience moderate discomfor
	everal hours after the anesthesia wears off and there may be slight soreness for a few days, which may be ad with pain medication. I will notify the office if conditions persist beyond a few days.
may	erstand that because cleanings and surgery involve contact with bacteria and infected tissue in my mouth, also experience an infection, which may be treated with antibiotics. I will immediately contact the office if erience fever, chills, sweats or numbness.
and i	erstand that holding my mouth open during treatment may temporarily leave my jaw feeling stiff and sore may make it difficult for me to open wide for several days, sometimes referred to as trismus. However, this occasionally be an indication of a most significant condition or problem. In the event this occurs, I must this office if I experience persistent trismus or other similar concerns arise.
the ro	erstand that as my gum tissue heals after treatment or surgery, it may shrink somewhat, exposing some of pot surface. This could make teeth more sensitive to hot or cold. I also understand that following treatment, have spaces between my teeth at the gumline, which could trap food particles and require special tenance. I understand additional surgical procedures are available to protect the sensitive areas.
be ta probl	erstand that depending on my current dental condition, existing medical problems, or medications I may king, these methods alone may not completely reverse the effects of gum disease or prevent further ems. Teeth that become loose as a result of periodontal disease may be extracted, which may require cing the teeth with a fixed or removable bridge, denture, or artificial teeth called <i>implants</i> .
surgi hope	erstand that unforeseen conditions may call for modification or change from the anticipated treatment or cal plan. These may include, but are not limited to, (1) extraction of hopeless teeth. (2) the removal of less tooth root of a multi-rooted tooth so as to preserve the rest of that same tooth, or (3) termination prior mpletion of all of the surgery originally outlined.
result	erstand that smoking can adversely affect the outcome of the periodontal therapy suggested and that final s achieved by periodontal therapy can be lessened or can cause the outright failure of the treatment by the hat I have had a recent history or smoking.
medi medi desi	erstand that at the start and during treatment I may receive a topical or local anesthetic and/or other cation. In rare instances patients may have a reaction to the anesthetic, which could require emergency cal attention. Depending on the anesthesia and medications administered, I may need a gnated driver to take me home. In rare cases, temporary or permanent nerve injury, numbness of p, chin, gums, teeth, cheek and/or tongue, can result from an injection.
	erstand that all medications have the potential for accompanying risks, side effects, and drug interactions. Fore, it is critical that I tell my dentist of all medications and supplements I am currently taking, which are:
possi the p	erstand that while every reasonable effort will be made to ensure that my condition is treated it is not ble to guarantee perfect results. By signing below, I acknowledge that I have received information about roposed treatment, that I understand this information and that all of my questions have been answered to atisfaction.

Consequences if No Treatment is Administered, Not Limi	ted to the Following:
I understand that if no treatment were administered or of periodontal condition would continue and probably wo infection of gum tissues, tooth decay above and below and eventually, loss of teeth.	rsen. This could lead to further inflammation and
Alternatives to Surgical Periodontal Treatment, Not Limit	red to the Following:
I understand that given my condition, there are no effect and keeping my affected teeth.	tive alternative treatments for my severe gum disease
No guarantee or assurance has been given to me by anyone that th condition(s) listed above.	e proposed treatment or surgery will cure or improve the
Check only one of the boxes below that applies to your I have been given the opportunity to ask questions and give my above.	
or	
I refuse to give my consent for the proposed treatment(s) as desconsequences associated with this refusal.	scribed above and understand the potential
Patient's or Patient's Representative's Signature	Date
I attest that I have discussed the risks, benefits, consequences, and c with (patient's name), who has patient understands what has been explained and willingly consents	s had the opportunity to ask questions, and I believe my
Dentist's Signature	Date
Witness' Signature	 Date